

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Invalid Usage of Codes

~~V0501~~ ~~UNDETERMINED INJURY BY LEGAL AUTHORITY - E CODE INVALID TO USE WITHOUT LEGAL INVESTIGATION~~ - effective change as of 10/1/96

Guideline: Categories E980-E989 (injury undetermined whether accidentally or purposely inflicted) must not be used as catchall or "wastebasket" codes. These codes are intended solely for use in those situations in which an investigation by law enforcement officers has not arrived at a firm conclusion about whether the injury was accidentally or intentionally inflicted.

Use of E Codes With Poisoning Code: Four sets of E codes are available for each drug in the Table of Drugs and Chemicals:

- Accidental Poisoning (E850-E858)
- Suicide or attempt and self-inflicted injury (E950.0-E950.5)
- Assault by poisoning (drugs) (E962.0)
- Undetermined by legal authority (E980.0-E980.5)

When the information needed to classify these is not available, it is usually safe to assume that the poisoning was Accidental Poisoning (E850-E858). Read the coding note under the title for the category E980-E989 in the Tabular List.

E Code Table Only

ICD-9-CM Codes

ICD-9-CM Interpretations

E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted
E980.0	Analgesics, antipyretics, and antirheumatics
E980.1	Barbiturates
E980.2	Other sedatives and hypnotics
E980.3	Tranquilizers and other psychotropic agents
E980.3	Tranquilizers and other psychotropic agents
E980.4	Other specified drug and medicinal substances
E980.5	Unspecified drug or medicinal substance
E980.6	Corrosive and caustic substances
E980.7	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers
E980.8	Arsenic and its compounds
E980.9	Other and unspecified solid and liquid substances

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Invalid Usage of Codes

~~V0501~~ ~~UNDETERMINED INJURY BY LEGAL AUTHORITY - E CODE INVALID TO~~
~~USE WITHOUT LEGAL INVESTIGATION~~ - *effective change as of 10/1/96*

E Code Table Only

- E981 Poisoning by gases in domestic use, undetermined whether accidentally or
purposely inflicted
E981.0 Gas distributed by pipeline
E981.1 Liquefied petroleum gas distributed in mobile containers
E981.8 Other utility gas
- E982 Poisoning by other gases, undetermined whether accidentally or purposely inflicted
E982.0 Motor vehicle exhaust gas
E982.1 Other carbon monoxide
E982.8 Other specified gases and vapors
E982.9 Unspecified gases and vapors
- E983 Hanging, strangulation, or suffocation, undetermined whether accidentally or
purposely inflicted
E983.0 Hanging
E983.1 Suffocation by plastic bag
E983.8 Other specified means
E983.9 Unspecified means
- E984 Submersion (drowning), undetermined whether accidentally or purposely inflicted
- E985 Injury by firearms and explosives, undetermined whether accidentally or purposely
inflicted
E985.0 Handgun
E985.1 Shotgun
E985.2 Hunting rifle
E985.3 Military firearms
E985.4 Other and unspecified firearm
E985.5 Explosives
- E986 Injury by cutting and piercing instruments, undetermined whether accidentally or
purposely inflicted

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Invalid Usage of Codes

~~V0501~~ ~~UNDETERMINED INJURY BY LEGAL AUTHORITY - E CODE INVALID TO~~
~~USE WITHOUT LEGAL INVESTIGATION~~ - effective change as of 10/1/96

E Code Table Only

E987	Falling from high place, undetermined whether accidentally or purposely inflicted
E987.0	Residential premises
E987.1	Other man-made structures
E987.2	Natural sites
E987.9	Unspecified site
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted
E988.0	Jumping or lying before moving object
E988.1	Burns, fire
E988.2	Scald
E988.3	Extremes of cold
E988.4	Electrocution
E988.5	Crashing of motor vehicle
E988.6	Crashing of aircraft
E988.7	Caustic substances, except poisoning
E988.8	Other specified means
E988.9	Unspecified means

References: ICD-9-CM Codebook, Tabular section, E Code chapter, Code E980-E989.

ICD-9-CM Coding Handbook with Answers, AHA, Faye Brown, RRA, 1989, page 76.

ICD-9-CM Coding Handbook with Answers, AHA, Faye Brown, RRA, 1991, page 82 and 333.

Coding Clinic for ICD-9-CM, AHA, 4th Quarter 1995, Official Guidelines for Coding and Reporting Causes of Injuries, Poisonings, and Adverse Effects of Drugs, Item #11.8 (1.), page 40.

New change: Coding Clinic for ICD-9-CM, E Coding Guideline #11.6-11.7, 4th Quarter 1996, pages 77-78.

STOP!!!

NEXT V-EDIT IS V0540

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES

Guideline: An "E" code from the therapeutic column is never assigned with a poisoning code (960-979).

Manifestations following adverse reactions and poisonings may be identical but have different coding applications.

Adverse Reaction

If the patient who took the prescribed medication CORRECTLY is having an adverse effect to the medication, the manifestation is coded with the appropriate E code assigned from E930-E949.

Poisoning

If a patient who took the medication INCORRECTLY is experiencing a drug poisoning, a drug code is assigned from codes 960-979, then the manifestation is coded next, and the appropriate E code is assigned from E850-E869, E873, E950-E952, and E962.

If a patient takes alcohol with any medication, even though the medication is taken correctly, this is classified as poisoning.

If a patient takes a prescribed drug with a non-prescribed drug, the interaction is classified as a poisoning.

The term "Toxicity" may be used by physicians to refer to either a true poisoning or a toxic adverse reaction. Check the record or query the physician to determine which situation has occurred.

The code for an unspecified adverse effect of a drug (995.2) should be avoided if at all possible when coding an adverse reaction, as it adds little in the way of meaningful information to the development of a complete data base. Check the record or query the physician to determine the actual manifestation suffered by the patient. OSHPD patient discharge data showed 4,359 records with code 995.2 in 1993.

Undetermined codes (E980.0-E980.5) codes are not used when coding poisoning; poisoning is presumed to be accidental if not otherwise specified. See page 250 for coding edit V0501.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

**V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES –
(CONTINUED)**

Guideline: An "E" code from the therapeutic column is never assigned with a poisoning code (960-979). (See full guideline on page 462.)

V0540-V0710 Exclusive Check (if match, error) - T001-T171

V0540 (T001) - Penicillin Poison with Therapeutic E Code

E Code Table	E930.0	Therapeutic use of penicillins
--------------	--------	--------------------------------

Relational Table	960.0	Penicillins
------------------	-------	-------------

V0541 (T002) - Antifungal Antibiotic Poison with Therapeutic E Code

E Code Table	E930.1	Therapeutic use of antifungal antibiotics
--------------	--------	---

Relational Table	960.1	Antifungal antibiotics
------------------	-------	------------------------

V0542 (T003) - Chloramphenicol Poison with Therapeutic E Code

E Code Table	E930.2	Therapeutic use of chloramphenicol group
--------------	--------	--

Relational Table	960.2	Chloramphenicol group
------------------	-------	-----------------------

V0543 (T004) - Erythromycin Poison with Therapeutic E Code

E Code Table	E930.3	Therapeutic use of erythromycin and other macrolides
--------------	--------	--

Relational Table	960.3	Erythromycin and other macrolides
------------------	-------	-----------------------------------

V0544 (T005) - Tetracycline Poison with Therapeutic E Code

E Code Table	E930.4	Therapeutic use of tetracycline group
--------------	--------	---------------------------------------

Relational Table	960.4	Tetracycline group
------------------	-------	--------------------

V0545 (T006) - Cephalosporin Poison with Therapeutic E Code

E Code Table	E930.5	Therapeutic use of cephalosporin group
--------------	--------	--

Relational Table	960.5	Cephalosporin group
------------------	-------	---------------------

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0546 (T007) - Antimycobacterial Antibiotic Poison with Therapeutic E Code

E Code Table	E930.6	Therapeutic use of antimycobacterial antibiotics
Relational Table	960.6	Antimycobacterial antibiotics

V0547 (T008) - Antineoplastic Poison with Therapeutic E Code

E Code Table	E930.7	Therapeutic use of antineoplastic antibiotics
Relational Table	960.7	Antineoplastic antibiotics

V0548 (T009) - Other Specified Antibiotic Poison with Therapeutic E Code

E Code Table	E930.8	Therapeutic use of other specified antibiotics
Relational Table	960.8	Other specified antibiotics

V0549 (T010) - Unspecified Antibiotic Poison with Therapeutic E Code

E Code Table	E930.9	Therapeutic use of unspecified antibiotic
Relational Table	960.9	Unspecified antibiotic

V0550 (T011) - Sulfonamides Poison with Therapeutic E Code

E Code Table	E931.0	Therapeutic use of sulfonamides
Relational Table	961.0	Sulfonamides

V0551 (T012) - Arsenical Anti-infective Poison with Therapeutic E Code

E Code Table	E931.1	Therapeutic use of arsenical anti-infectives
Relational Table	961.1	Arsenical anti-infectives

V0552 (T013) - Heavy Metal Anti-infective Poison with Therapeutic E Code

E Code Table	E931.2	Therapeutic use of heavy metal anti-infectives
Relational Table	961.2	Heavy metal anti-infectives

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0553 (T014) - Quinoline/Hydroxyquinoline Poison with Therapeutic E Code

E Code Table	E931.3	Therapeutic use of quinoline and hydroxyquinoline derivatives
Relational Table	961.3	Quinoline and hydroxyquinoline derivatives

V0554 (T015) - Antimalarial Poison with Therapeutic E Code

E Code Table	E931.4	Therapeutic use of antimalarials and drugs acting on other blood protozoa
Relational Table	961.4	Antimalarials and drugs acting on other blood protozoa

V0555 (T016) - Antiprotozoal Poison with Therapeutic E Code

E Code Table	E931.5	Therapeutic use of other antiprotozoal drugs
Relational Table	961.5	Other antiprotozoal drugs

V0556 (T017) - Anthelmintic Poison with Therapeutic E Code

E Code Table	E931.6	Therapeutic use of anthelmintics
Relational Table	961.6	Anthelmintics

V0557 (T018) - Antiviral Drug Poison with Therapeutic E Code

E Code Table	E931.7	Therapeutic use of antiviral drugs
Relational Table	961.7	Antiviral drugs

V0558 (T019) - Other Antimycobacterial Drug Poison with Therapeutic E Code

E Code Table	E931.8	Therapeutic use of other antimycobacterial drugs
Relational Table	961.8	Other antimycobacterial drugs

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0559 (T020) - Other and Unspecified Anti-infective Poison with Therapeutic E Code

E Code Table	E931.9	Therapeutic use of other and unspecified anti-infectives
Relational Table	961.9	Other and unspecified anti-infectives

V0560 (T021) - Adrenal Cortical Steroid Poison with Therapeutic E Code

E Code Table	E932.0	Therapeutic use of adrenal cortical steroids
Relational Table	962.0	Adrenal cortical steroids

V0561 (T022) - Androgen and Anabolic Congener Poison with Therapeutic E Code

E Code Table	E932.1	Therapeutic use of androgens and anabolic congeners
Relational Table	962.1	Androgens and anabolic congeners

V0562 (T023) - Ovarian Hormone & Synthetic Substitute Poison with Therapeutic E Code

E Code Table	E932.2	Therapeutic use of ovarian hormones and synthetic substitutes
Relational Table	962.2	Ovarian hormones and synthetic substitutes

V0563 (T024) - Insulin and Antidiabetic Agent Poison with Therapeutic E Code

E Code Table	E932.3	Therapeutic use of insulins and antidiabetic agents
Relational Table	962.3	Insulins and antidiabetic agents

V0564 (T025) - Anterior Pituitary Hormone Poison with Therapeutic E Code

E Code Table	E932.4	Therapeutic use of anterior pituitary hormones
Relational Table	962.4	Anterior pituitary hormones

V0565 (T026) - Posterior Pituitary Hormone Poison with Therapeutic E Code

E Code Table	E932.5	Therapeutic use of posterior pituitary hormones
Relational Table	962.5	Posterior pituitary hormones

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0566 (T027) - Parathyroid and its Derivative Poison with Therapeutic E Code

E Code Table	E932.6	Therapeutic use of parathyroid and parathyroid derivatives
Relational Table	962.6	Parathyroid and parathyroid derivatives

V0567 (T028) - Thyroid and its Derivative Poison with Therapeutic E Code

E Code Table	E932.7	Therapeutic use of thyroid and thyroid derivatives
Relational Table	962.7	Thyroid and thyroid derivatives

V0568 (T029) - Antithyroid Agent Poison with Therapeutic E Code

E Code Table	E932.8	Therapeutic use of antithyroid agents
Relational Table	962.8	Antithyroid agents

V0569 (T030) - Other & Unspecified Hormone Poison with Therapeutic E Code

E Code Table	E932.9	Therapeutic use of other and unspecified hormones and synthetic substitutes
Relational Table	962.9	Other and unspecified hormones and synthetic substitutes

V0570 (T031) - Antiallergic/Antiemetic Drug Poison with Therapeutic E Code

E Code Table	E933.0	Therapeutic use of antiallergic and antiemetic drugs
Relational Table	963.0	Antiallergic and antiemetic drugs

V0571 (T032) - Antineoplastic/Immunosuppressive Drug Poison with Therapeutic E Code

E Code Table	E933.1	Therapeutic use of antineoplastic and immunosuppressive drugs
Relational Table	963.1	Antineoplastic and immunosuppressive drugs

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0572 (T033) - Acidifying Agent Poison with Therapeutic E Code

E Code Table	E933.2	Therapeutic use of acidifying agents
Relational Table	963.2	Acidifying agents

V0573 (T034) - Alkalizing Agent Poison with Therapeutic E Code

E Code Table	E933.3	Therapeutic use of alkalizing agents
Relational Table	963.3	Alkalizing agents

V0574 (T035) - Enzyme Poison with Therapeutic E Code

E Code Table	E933.4	Therapeutic use of enzymes
Relational Table	963.4	Enzymes

V0575 (T036) - Vitamin Poison with Therapeutic E Code

E Code Table	E933.5	Therapeutic use of vitamins
Relational Table	963.5	Vitamins

V0576 (T037) - Other Systemic Agent Poison with Therapeutic E Code

E Code Table	E933.8	Therapeutic use of other systemic agents
Relational Table	963.8	Other systemic agents

V0577 (T038) - Unspecified Systemic Agent Poison with Therapeutic E Code

E Code Table	E933.9	Therapeutic use of unspecified systemic agent
Relational Table	963.9	Unspecified systemic agent

V0578 (T039) - Iron and its Compound Poison with Therapeutic E Code

E Code Table	E934.0	Therapeutic use of iron and its compounds
Relational Table	964.0	Iron and its compounds

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0579 (T040) - Liver Preparation/Antianemic Agent Poison with Therapeutic E Code

E Code Table	E934.1	Therapeutic use of liver preparations and other antianemic agents
Relational Table	964.1	Liver preparations and other antianemic agents

V0580 (T041) - Anticoagulant Poison with Therapeutic E Code

E Code Table	E934.2	Therapeutic use of anticoagulants
Relational Table	964.2	Anticoagulants

V0581 (T042) - Vitamin K Poison with Therapeutic E Code

E Code Table	E934.3	Therapeutic use of vitamin K
Relational Table	964.3	Vitamin K

V0582 (T043) - Fibrinolysis-affecting Drug Poison with Therapeutic E Code

E Code Table	E934.4	Therapeutic use of fibrinolysis-affecting drugs
Relational Table	964.4	Fibrinolysis-affecting drugs

V0583 (T044) - Anticoagulant Antagonist Poison with Therapeutic E Code

E Code Table	E934.5	Therapeutic use of anticoagulant antagonists and other coagulants
Relational Table	964.5	Anticoagulant antagonists and other coagulants

V0584 (T045) - Gamma Globulin Poison with Therapeutic E Code

E Code Table	E934.6	Therapeutic use of gamma globulin
Relational Table	964.6	Gamma globulin

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0585 (T046) - Natural Blood and Blood Product Poison with Therapeutic E Code

E Code Table	E934.7	Therapeutic use of natural blood and blood products
Relational Table	964.7	Natural blood and blood products

V0586 (T047) - Other Agent Affecting Blood Constituent Poison with Therapeutic E Code

E Code Table	E934.8	Therapeutic use of other agents affecting blood constituents
Relational Table	964.8	Other agents affecting blood constituents

V0587 (T048) - Unspecified Agent Affect Blood Constituent Poison with Therapeutic E Code

E Code Table	E934.9	Therapeutic use of unspecified agent affecting blood constituents
Relational Table	964.9	Unspecified agent affecting blood constituents

V0588 (T049) - Heroin Poison with Therapeutic E Code

E Code Table	E935.0	Therapeutic use of heroin
Relational Table	965.01	Heroin

V0589 (T050) - Methadone Poison with Therapeutic E Code

E Code Table	E935.1	Therapeutic use of methadone
Relational Table	965.02	Methadone

V0590 (T051) - Opiates/Related Narcotics Poison with Therapeutic E Code

E Code Table	E935.2	Therapeutic use of other opiates and related narcotics
Relational Table	965.00	Opium [alkaloids]
	965.09	Other opiates and related narcotics

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0591 (T052) - Salicylate Poison with Therapeutic E Code

E Code Table	E935.3	Therapeutic use of salicylates
Relational Table	965.1	Salicylates

V0592 (T053) - Aromatic Analgesic Poison with Therapeutic E Code

E Code Table	E935.4	Therapeutic use of aromatic analgesics
Relational Table	965.4	Aromatic analgesics

V0593 (T054) - Pyrazole Derivative Poison with Therapeutic E Code

E Code Table	E935.5	Therapeutic use of pyrazole derivatives
Relational Table	965.5	Pyrazole derivatives

V0594 (T055) - Antirheumatic Poison with Therapeutic E Code

E Code Table	E935.6	Therapeutic use of antirheumatics [antiphlogistics]
Relational Table	965.6x	Antirheumatics [antiphlogistics]

V0595 (T056) - Non-Narcotic Analgesic Poison with Therapeutic E Code

E Code Table	E935.7	Therapeutic use of other non-narcotic analgesics
Relational Table	965.7	Other non-narcotic analgesics

V0596 (T057) - Other Specified Analgesic/Antipyretic Poison with Therapeutic E Code

E Code Table	E935.8	Therapeutic use of other specified analgesics and antipyretics
Relational Table	965.8	Other specified analgesics and antipyretics

V0597 (T058) - Unspecified Analgesic and Antipyretic Poison with Therapeutic E Code

E Code Table	E935.9	Therapeutic use of unspecified analgesic and antipyretic
Relational Table	965.9	Unspecified analgesic and antipyretic

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0598 (T059) - Oxazolidine Derivative Poison with Therapeutic E Code

E Code Table	E936.0	Therapeutic use of oxazolidine derivatives
Relational Table	966.0	Oxazolidine derivatives

V0599 (T060) - Hydantoin Derivative Poison with Therapeutic E Code

E Code Table	E936.1	Therapeutic use of hydantoin derivatives
Relational Table	966.1	Hydantoin derivatives

V0600 (T061) - Succinimide Poison with Therapeutic E Code

E Code Table	E936.2	Therapeutic use of succinimides
Relational Table	966.2	Succinimides

V0601 (T062) - Other Anticonvulsants Poison with Therapeutic E Code

E Code Table	E936.3	Therapeutic use of other and unspecified anticonvulsants
Relational Table	966.3	Other and unspecified anticonvulsants

V0602 (T063) - Anti-Parkinsonism Drug Poison with Therapeutic E Code

E Code Table	E936.4	Therapeutic use of anti-parkinsonism drugs
Relational Table	966.4	Anti-parkinsonism drugs

V0603 (T064) - Barbiturate Poison with Therapeutic E Code

E Code Table	E937.0	Therapeutic use of barbiturates
Relational Table	967.0	Barbiturates

V0604 (T065) - Chloral Hydrate Grouper Poison with Therapeutic E Code

E Code Table	E937.1	Therapeutic use of chloral hydrate group
Relational Table	967.1	Chloral hydrate group

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0605 (T066) - Paraldehyde Poison with Therapeutic E Code

E Code Table	E937.2	Therapeutic use of paraldehyde
Relational Table	967.2	Paraldehyde

V0606 (T067) - Bromine Compound Poison with Therapeutic E Code

E Code Table	E937.3	Therapeutic use of bromine compounds
Relational Table	967.3	Bromine compounds

V0607 (T068) - Methaqualone Compound Poison with Therapeutic E Code

E Code Table	E937.4	Therapeutic use of methaqualone compounds
Relational Table	967.4	Methaqualone compounds

V0608 (T069) - Glutethimide Poison with Therapeutic E Code

E Code Table	E937.5	Therapeutic use of glutethimide group
Relational Table	967.5	Glutethimide group

V0609 (T070) - Mixed Sedative Poison with Therapeutic E Code

E Code Table	E937.6	Therapeutic use of mixed sedatives
Relational Table	967.6	Mixed sedatives

V0610 (T071) - Other Sedative and Hypnotic Poison with Therapeutic E Code

E Code Table	E937.8	Therapeutic use of other sedatives and hypnotics
Relational Table	967.8	Other sedatives and hypnotics

V0611 (T072) - Unspecified Sedative/Hypnotic Poison with Therapeutic E Code

E Code Table	E937.9	Therapeutic use of unspecified sedative and hypnotic
Relational Table	967.9	Unspecified sedative and hypnotic

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0612 (T073) - Central Nervous System Muscle Depressant Poison with Therapeutic E Code

E Code Table	E938.0	Therapeutic use of central nervous system muscle-tone depressants
--------------	--------	---

Relational Table	968.0	Central nervous system muscle-tone depressants
------------------	-------	--

V0613 (T074) - Halothane Poison with Therapeutic E Code

E Code Table	E938.1	Therapeutic use of halothane
--------------	--------	------------------------------

Relational Table	968.1	Halothane
------------------	-------	-----------

V0614 (T075) - Other Gaseous Anesthetic Poison with Therapeutic E Code

E Code Table	E938.2	Therapeutic use of other gaseous anesthetics
--------------	--------	--

Relational Table	968.2	Other gaseous anesthetics
------------------	-------	---------------------------

V0615 (T076) - Intravenous Anesthetic Poison with Therapeutic E Code

E Code Table	E938.3	Therapeutic use of intravenous anesthetics
--------------	--------	--

Relational Table	968.3	Intravenous anesthetics
------------------	-------	-------------------------

V0616 (T077) - Other and Unspecified General Anesthetic Poison with Therapeutic E Code

E Code Table	E938.4	Therapeutic use of other and unspecified general anesthetics
--------------	--------	--

Relational Table	968.4	Other and unspecified general anesthetics
------------------	-------	---

V0617 (T078) - Surface/Infiltration Anesthetic Poison with Therapeutic E Code

E Code Table	E938.5	Therapeutic use of surface and infiltration anesthetics
--------------	--------	---

Relational Table	968.5	Surface and infiltration anesthetics
------------------	-------	--------------------------------------

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0618 (T079) - Peripheral Nerve-& Plexus-Blocking Anesthetic Poison with Therapeutic E Code

E Code Table	E938.6	Therapeutic use of peripheral nerve- and plexus-blocking anesthetics
Relational Table	968.6	Peripheral nerve- and plexus-blocking anesthetics

V0619 (T080) - Spinal Anesthetic Poison with Therapeutic E Code

E Code Table	E938.7	Therapeutic use of spinal anesthetics
Relational Table	968.7	Spinal anesthetics

V0620 (T081) - Other and Unspecified Local Anesthesia Poison with Therapeutic E Code

E Code Table	E938.9	Therapeutic use of other and unspecified local anesthetics
Relational Table	968.9	Other and unspecified local anesthetics

V0621 (T082) - Antidepressant Poison with Therapeutic E Code

E Code Table	E939.0	Therapeutic use of antidepressants
Relational Table	969.0	Antidepressants

V0622 (T083) - Phenothiazine-based Tranquilizer Poison with Therapeutic E Code

E Code Table	E939.1	Therapeutic use of phenothiazine-based tranquilizers
Relational Table	969.1	Phenothiazine-based tranquilizers

V0623 (T084) - Butyrophenone-based Tranquilizer Poison with Therapeutic E Code

E Code Table	E939.2	Therapeutic use of butyrophenone-based tranquilizers
Relational Table	969.2	Butyrophenone-based tranquilizers

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0624 (T085) - Other Antipsychotics & Major Tranquilizer Poison with Therapeutic E Code

E Code Table	E939.3	Therapeutic use of other antipsychotics, neuroleptics and major tranquilizers
--------------	--------	---

Relational Table	969.3	Other antipsychotics, neuroleptics and major tranquilizers
------------------	-------	--

V0625 (T086) - Benzodiazepine-Based Tranquilizer Poison with Therapeutic E Code

E Code Table	E939.4	Therapeutic use of benzodiazepine-based tranquilizers
--------------	--------	---

Relational Table	969.4	Benzodiazepine-based tranquilizers
------------------	-------	------------------------------------

V0626 (T087) - Other Tranquilizer Poison with Therapeutic E Code

E Code Table	E939.5	Therapeutic use of other tranquilizers
--------------	--------	--

Relational Table	969.5	Other tranquilizers
------------------	-------	---------------------

V0627 (T088) - Psychodysleptic Poison with Therapeutic E Code

E Code Table	E939.6	Therapeutic use of psychodysleptics [hallucinogens]
--------------	--------	---

Relational Table	969.6	Psychodysleptics [hallucinogens]
------------------	-------	----------------------------------

V0628 (T089) - Psychostimulant Poison with Therapeutic E Code

E Code Table	E939.7	Therapeutic use of psychostimulants
--------------	--------	-------------------------------------

Relational Table	969.7	Psychostimulants
------------------	-------	------------------

V0629 (T090) - Other Psychotropic Agent Poison with Therapeutic E Code

E Code Table	E939.8	Therapeutic use of other psychotropic agents
--------------	--------	--

Relational Table	969.8	Other psychotropic agents
------------------	-------	---------------------------

V0630 (T091) - Unspecified Psychotropic Agent Poison with Therapeutic E Code

E Code Table	E939.9	Therapeutic use of unspecified psychotropic agent
--------------	--------	---

Relational Table	969.9	Unspecified psychotropic agent
------------------	-------	--------------------------------

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0631 (T092) - Analeptic Poison with Therapeutic E Code

E Code Table	E940.0	Therapeutic use of analeptics
Relational Table	970.0	Analeptics

V0632 (T093) - Opiate Antagonist Poison with Therapeutic E Code

E Code Table	E940.1	Therapeutic use of opiate antagonists
Relational Table	970.1	Opiate antagonists

V0633 (T094) - Other Central Nervous System Stimulant Poison with Therapeutic E Code

E Code Table	E940.8	Therapeutic use of other specified central nervous system stimulants
Relational Table	970.8	Other specified central nervous system stimulants

V0634 (T095) - Unspecified Central Nervous System Stimulant Poison with Therapeutic E Code

E Code Table	E940.9	Therapeutic use of unspecified central nervous system stimulant
Relational Table	970.9	Unspecified central nervous system stimulant

V0635 (T096) - Parasympathomimetic Poison with Therapeutic E Code

E Code Table	E941.0	Therapeutic use of parasympathomimetics [cholinergics]
Relational Table	971.0	Parasympathomimetics [cholinergics]

V0636 (T097) - Parasympatholytic Poison with Therapeutic E Code

E Code Table	E941.1	Therapeutic use of parasympatholytics [anticholinergics and antimuscarinics] and spasmodics
Relational Table	971.1	Parasympatholytics [anticholinergics and antimuscarinics] and spasmodics

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0637 (T098) - Sympathomimetic Poison with Therapeutic E Code

E Code Table	E941.2	Therapeutic use of sympathomimetics [adrenergics]
Relational Table	971.2	Sympathomimetics [adrenergics]

V0638 (T099) - Sympatholytic Poison with Therapeutic E Code

E Code Table	E941.3	Therapeutic use of sympatholytics [antiadrenergics]
Relational Table	971.3	Sympatholytics [antiadrenergics]

V0639 (T100) - Unspecified Autonomic Nervous System Drug Poison with Therapeutic E Code

E Code Table	E941.9	Therapeutic use of unspecified drug primarily affecting the autonomic nervous system
Relational Table	971.9	Unspecified drug primarily affecting the autonomic nervous system

V0640 (T101) - Cardiac Rhythm Regulator Poison with Therapeutic E Code

E Code Table	E942.0	Therapeutic use of cardiac rhythm regulators
Relational Table	972.0	Cardiac rhythm regulators

V0641 (T102) - Cardiotonic Glycoside Poison with Therapeutic E Code

E Code Table	E942.1	Therapeutic use of cardiotonic glycosides and drugs of similar action
Relational Table	972.1	Cardiotonic glycosides and drugs of similar action

V0642 (T103) - Antilipemic and Antiarteriosclerotic Poison with Therapeutic E Code

E Code Table	E942.2	Therapeutic use of antilipemic and antiarteriosclerotic drugs
Relational Table	972.2	Antilipemic and antiarteriosclerotic drugs

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0643 (T104) - Ganglion-blocking Agent Poison with Therapeutic E Code

E Code Table	E942.3	Therapeutic use of ganglion-blocking agents
Relational Table	972.3	Ganglion-blocking agents

V0644 (T105) - Coronary Vasodilator Poison with Therapeutic E Code

E Code Table	E942.4	Therapeutic use of coronary vasodilators
Relational Table	972.4	Coronary vasodilators

V0645 (T106) - Other Vasodilator Poison with Therapeutic E Code

E Code Table	E942.5	Therapeutic use of other vasodilators
Relational Table	972.5	Other vasodilators

V0646 (T107) - Antihypertensive Agent Poison with Therapeutic E Code

E Code Table	E942.6	Therapeutic use of other antihypertensive agents
Relational Table	972.6	Other antihypertensive agents

V0647 (T108) - Antivaricose Drug Poison with Therapeutic E Code

E Code Table	E942.7	Therapeutic use of antivaricose drugs, including sclerosing agents
Relational Table	972.7	Antivaricose drugs, including sclerosing agents

V0648 (T109) - Capillary-Active Drug Poison with Therapeutic E Code

E Code Table	E942.8	Therapeutic use of capillary-active drugs
Relational Table	972.8	Capillary-active drugs

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0649 (T110) - Cardiovascular System Agent Poison with Therapeutic E Code

E Code Table	E942.9	Therapeutic use of other and unspecified agents primarily affecting the cardiovascular system
Relational Table	972.9	Other and unspecified agents primarily affecting the cardiovascular system

V0650 (T111) - Antacid and Antigastric Secretion Drug Poison with Therapeutic E Code

E Code Table	E943.0	Therapeutic use of antacids and antigastric secretion drugs
Relational Table	973.0	Antacids and antigastric secretion drugs

V0651 (T112) - Irritant Cathartic Poison with Therapeutic E Code

E Code Table	E943.1	Therapeutic use of irritant cathartics
Relational Table	973.1	Irritant cathartics

V0652 (T113) - Emollient Cathartic Poison with Therapeutic E Code

E Code Table	E943.2	Therapeutic use of emollient cathartics
Relational Table	973.2	Emollient cathartics

V0653 (T114) - Other Cathartic Poison with Therapeutic E Code

E Code Table	E943.3	Therapeutic use of other cathartics, including intestinal atonia drugs
Relational Table	973.3	Other cathartics, including intestinal atonia drugs

V0654 (T115) - Digestant Poison with Therapeutic E Code

E Code Table	E943.4	Therapeutic use of digestants
Relational Table	973.4	Digestants

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0655 (T116) - Antidiarrheal Drug Poison with Therapeutic E Code

E Code Table	E943.5	Therapeutic use of antidiarrheal drugs
Relational Table	973.5	Antidiarrheal drugs

V0656 (T117) - Emetic Poison with Therapeutic E Code

E Code Table	E943.6	Therapeutic use of emetics
Relational Table	973.6	Emetics

V0657 (T118) - Gastrointestinal System Agent Poison with Therapeutic E Code

E Code Table	E943.8	Therapeutic use of other specified agents primarily affecting the gastrointestinal system
Relational Table	973.8	Other specified agents primarily affecting the gastrointestinal system

V0658 (T119) - Unspecified Gastrointestinal System Agent Poison with Therapeutic E Code

E Code Table	E943.9	Therapeutic use of unspecified agent primarily affecting the gastrointestinal system
Relational Table	973.9	Unspecified agent primarily affecting the gastrointestinal system

V0659 (T120) - Mercurial Diuretic Poison with Therapeutic E Code

E Code Table	E944.0	Therapeutic use of mercurial diuretics
Relational Table	974.0	Mercurial diuretics

V0660 (T121) - Purine Derivative Diuretic Poison with Therapeutic E Code

E Code Table	E944.1	Therapeutic use of purine derivative diuretics
Relational Table	974.1	Purine derivative diuretics

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0661 (T122) - Carbonic Acid Anhydrase Inhibitor Poison with Therapeutic E Code

E Code Table	E944.2	Therapeutic use of carbonic acid anhydrase inhibitors
Relational Table	974.2	Carbonic acid anhydrase inhibitors

V0662 (T123) - Saluretic Poison with Therapeutic E Code

E Code Table	E944.3	Therapeutic use of saluretics
Relational Table	974.3	Saluretics

V0663 (T124) - Other diuretic Poison with Therapeutic E Code

E Code Table	E944.4	Therapeutic use of other diuretics
Relational Table	974.4	Other diuretics

V0664 (T125) - Electrolyte, Caloric, & Water Balance Poison with Therapeutic E Code

E Code Table	E944.5	Therapeutic use of electrolytic, caloric, and water balance agents
Relational Table	974.5	Electrolytic, caloric, and water balance agents

V0665 (T126) - Mineral Salt Poison with Therapeutic E Code

E Code Table	E944.6	Therapeutic use of other mineral salts
Relational Table	974.6	Other mineral salts

V0666 (T127) - Uric Acid Metabolism Drug Poison with Therapeutic E Code

E Code Table	E944.7	Therapeutic use of uric acid metabolism drugs
Relational Table	974.7	Uric acid metabolism drugs

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0667 (T128) - Oxytocic Agent Poison with Therapeutic E Code

E Code Table	E945.0	Therapeutic use of oxytocic agents
Relational Table	975.0	Oxytocic agents

V0668 (T129) - Smooth Muscle Relaxant Poison with Therapeutic E Code

E Code Table	E945.1	Therapeutic use of smooth muscle relaxants
Relational Table	975.1	Smooth muscle relaxants

V0669 (T130) - Skeletal Muscle Relaxant Poison with Therapeutic E Code

E Code Table	E945.2	Therapeutic use of skeletal muscle relaxants
Relational Table	975.2	Skeletal muscle relaxants

V0670 (T131) - Other & Unspecified Muscle Drug Poison with Therapeutic E Code

E Code Table	E945.3	Therapeutic use of other and unspecified drugs acting on muscles
Relational Table	975.3	Other and unspecified drugs acting on muscles

V0671 (T132) - Antitussive Poison with Therapeutic E Code

E Code Table	E945.4	Therapeutic use of antitussives
Relational Table	975.4	Antitussives

V0672 (T133) - Expectorant Poison with Therapeutic E Code

E Code Table	E945.5	Therapeutic use of expectorants
Relational Table	975.5	Expectorants

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0673 (T134) - Anti-Common Cold Drug Poison with Therapeutic E Code

E Code Table	E945.6	Therapeutic use of anti-common cold drugs
Relational Table	975.6	Anti-common cold drugs

V0674 (T135) - Antiasthmatic Poison with Therapeutic E Code

E Code Table	E945.7	Therapeutic use of antiasthmatics
Relational Table	975.7	Antiasthmatics

V0675 (T136) - Other & Unspecified Respiratory Drug Poison with Therapeutic E Code

E Code Table	E945.8	Therapeutic use of other and unspecified respiratory drugs
Relational Table	975.8	Other and unspecified respiratory drugs

V0676 (T137) - Local Anti-Inflammatory Drug Poison with Therapeutic E Code

E Code Table	E946.0	Therapeutic use of local anti-infectives and anti-inflammatory drugs
Relational Table	976.0	Local anti-infectives and anti-inflammatory drugs

V0677 (T138) - Antipruritic Poison with Therapeutic E Code

E Code Table	E946.1	Therapeutic use of antipruritics
Relational Table	976.1	Antipruritics

V0678 (T139) - Local Astringent/Local Detergent Poison with Therapeutic E Code

E Code Table	E946.2	Therapeutic use of local astringents and local detergents
Relational Table	976.2	Local astringents and local detergents

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0679 (T140) - Emollient, Demulcent, Protectant Poison with Therapeutic E Code

E Code Table	E946.3	Therapeutic use of emollients, demulcents, and protectants
Relational Table	976.3	Emollients, demulcents, and protectants

V0680 (T141) - Other Hair Treatment Drug Poison with Therapeutic E Code

E Code Table	E946.4	Therapeutic use of keratolytics, keratoplastics, other hair treatment drugs and preparations
Relational Table	976.4	Keratolytics, keratoplastics, other hair treatment drugs and preparations

V0681 (T142) - Eye Anti-Infective Drug Poison with Therapeutic E Code

E Code Table	E946.5	Therapeutic use of eye anti-infectives and other eye drugs
Relational Table	976.5	Eye anti-infectives and other eye drugs

V0682 (T143) - ENT Drug Poison with Therapeutic E Code

E Code Table	E946.6	Therapeutic use of anti-infectives and other drugs and preparations for ear, nose and throat
Relational Table	976.6	Anti-infectives and other drugs and preparations for ear, nose and throat

V0683 (T144) - Dental Drug Poison with Therapeutic E Code

E Code Table	E946.7	Therapeutic use of dental drugs topically applied
Relational Table	976.7	Dental drugs topically applied

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0684 (T145) - Skin Drug Poison with Therapeutic E Code

E Code Table	E946.8	Therapeutic use of other agents primarily affecting skin and mucous membrane
Relational Table	976.8	Other agents primarily affecting skin and mucous membrane

V0685 (T146) - Unspecified Skin Drug Poison with Therapeutic E Code

E Code Table	E946.9	Therapeutic use of unspecified agent primarily affecting skin and mucous membrane
Relational Table	976.9	Unspecified agent primarily affecting skin and mucous membrane

V0686 (T147) - Dietetic Poison with Therapeutic E Code

E Code Table	E947.0	Therapeutic use of dietetics
Relational Table	977.0	Dietetics

V0687 (T148) - Lipotropic Drug Poison with Therapeutic E Code

E Code Table	E947.1	Therapeutic use of lipotropic drugs
Relational Table	977.1	Lipotropic drugs

V0688 (T149) - Antidote and Chelating Agent Poison with Therapeutic E Code

E Code Table	E947.2	Therapeutic use of antidotes and chelating agents
Relational Table	977.2	Antidotes and chelating agents

V0689 (T150) - Alcohol Deterrent Poison with Therapeutic E Code

E Code Table	E947.3	Therapeutic use of alcohol deterrents
Relational Table	977.3	Alcohol deterrents

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0690 (T151) - Pharmaceutical Excipient Poison with Therapeutic E Code

E Code Table	E947.4	Therapeutic use of pharmaceutical excipients
Relational Table	977.4	Pharmaceutical excipients

V0691 (T152) - Medicinal Substance Poison with Therapeutic E Code

E Code Table	E947.8	Therapeutic use of other drugs and medicinal substances
Relational Table	977.8	Other drugs and medicinal substances

V0692 (T153) - Unspecified Medicinal Substance Poison with Therapeutic E Code

E Code Table	E947.9	Therapeutic use of unspecified drug or medicinal substance
Relational Table	977.9	Unspecified drug or medicinal substance

V0693 (T154) - BCG Vaccine Poison with Therapeutic E Code

E Code Table	E948.0	Therapeutic use of BCG vaccine
Relational Table	978.0	BCG vaccine

V0694 (T155) - Typhoid and Paratyphoid Vaccine Poison with Therapeutic E Code

E Code Table	E948.1	Therapeutic use of typhoid and paratyphoid vaccine
Relational Table	978.1	Typhoid and paratyphoid vaccine

V0695 (T156) - Cholera Vaccine Poison with Therapeutic E Code

E Code Table	E948.2	Therapeutic use of cholera vaccine
Relational Table	978.2	Cholera vaccine

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0696 (T157) - Plague Vaccine with Therapeutic E Code

E Code Table	E948.3	Therapeutic use of plague vaccine
Relational Table	978.3	Plague vaccine

V0697 (T158) - Tetanus Vaccine Poison with Therapeutic E Code

E Code Table	E948.4	Therapeutic use of tetanus vaccine
Relational Table	978.4	Tetanus vaccine

V0698 (T159) - Diphtheria Vaccine Poison with Therapeutic E Code

E Code Table	E948.5	Therapeutic use of diphtheria vaccine
Relational Table	978.5	Diphtheria vaccine

V0699 (T160) - Pertussis Vaccine Poison with Therapeutic E Code

E Code Table	E948.6	Therapeutic use of pertussis vaccine, including combinations with a pertussis component
Relational Table	978.6	Pertussis vaccine, including combinations with a pertussis component

V0700 (T161) - Other Bacterial Vaccine Poison with Therapeutic E Code

E Code Table	E948.8	Therapeutic use of other and unspecified bacterial vaccines
Relational Table	978.8	Other and unspecified bacterial vaccines

V0701 (T162) - Mixed Bacterial Vaccine Poison with Therapeutic E Code

E Code Table	E948.9	Therapeutic use of mixed bacterial vaccines, except combinations with a pertussis component
Relational Table	978.9	Mixed bacterial vaccines, except combinations with a pertussis component

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0702 (T163) - Smallpox Vaccine Poison with Therapeutic E Code

E Code Table	E949.0	Therapeutic use of smallpox vaccine
Relational Table	979.0	Smallpox vaccine

V0703 (T164) - Rabies Vaccine Poison with Therapeutic E Code

E Code Table	E949.1	Therapeutic use of rabies vaccine
Relational Table	979.1	Rabies vaccine

V0704 (T165) - Typhus Vaccine Poison with Therapeutic E Code

E Code Table	E949.2	Therapeutic use of typhus vaccine
Relational Table	979.2	Typhus vaccine

V0705 (T166) - Yellow Fever Vaccine Poison with Therapeutic E Code

E Code Table	E949.3	Therapeutic use of yellow fever vaccine
Relational Table	979.3	Yellow fever vaccine

V0706 (T167) - Measles Vaccine Poison with Therapeutic E Code

E Code Table	E949.4	Therapeutic use of measles vaccine
Relational Table	979.4	Measles vaccine

V0707 (T168) - Poliomyelitis Vaccine Poison with Therapeutic E Code

E Code Table	E949.5	Therapeutic use of poliomyelitis vaccine
Relational Table	979.5	Poliomyelitis vaccine

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0540-V0710 POISONING DRUG CODES WITH THERAPEUTIC "E" CODES - CONTINUED
(See guideline on page 462)

V0708 (T169) - Viral and Rickettsial Vaccine Poison with Therapeutic E Code

E Code Table	E949.6	Therapeutic use of other and unspecified viral and rickettsial vaccines
Relational Table	979.6	Other and unspecified viral and rickettsial vaccines

V0709 (T170) - Mixed Viral and Bacterial Vaccine Poison with Therapeutic E Code

E Code Table	E949.7	Therapeutic use of mixed viral-rickettsial and bacterial vaccines, except combinations with a pertussis component
Relational Table	979.7	Mixed viral-rickettsial and bacterial vaccines, except combinations with a pertussis component

V0710 (T171) - Unspecified Vaccine Poison with Therapeutic E Code

E Code Table	E949.9	Therapeutic use of other and unspecified vaccines and biological substances
Relational Table	979.9	Other and unspecified vaccines and biological substances

References: ICD-9-CM Coding Handbook with Answers, AHA, 1991, Faye Brown, RRA, page 333; 1994, pages 358-359, 361, 363; 1996, pages 341, 343.

Coding Clinic for ICD-9-CM, AHA, Nov-Dec 1984, page 14; 2nd Quarter 1990, pages 10-12; Official Coding Guidelines 2.14, 9.1, and 9.2.
Journal of CHIA, Feb 85 pg 9; Jan 86 pg 11; Apr 90, pg 15; Feb 95 pg 4.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

+

PLACE OF OCCURRENCE CODE NEEDED

(No longer a coding edit V0711, instead it is an OSHPD edit within California)

Guidelines:

The ICD-9-CM codebook states: *Place of Occurrence* category E849 is to denote the place where the accident or poisoning occurred.

The California Code of Regulations (for inpatient discharges) states: If the first E code does not include a description of the place of occurrence of the most severe injury or poisoning, an additional E code shall be reported to designate the place of occurrence, if available in the medical record.

A code from category E849 can only be used as a secondary E code because its italicized code can never be principal diagnosis or principal E code.

As a LAST resort, if there is no documentation where the injury or poisoning occurred, then report E849.9 for unspecified place of occurrence. **This guideline overrides the coding guidelines 11.2 (2) in the Coding Clinic, 4th Quarter 1995, page 34.**

+

Inclusive Check (if no match, error)

E Code Table:

E850-E869	Accidental poisoning by drugs, medicinal substances, and biologicals
E870-E876	Misadventures to patients during surgical and medical care
E878-E879	Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure
E880-E888	Accidental falls
E890-E899	Accidents caused by fire and flames
E900-E909	Accidents due to natural and environmental factors
E910-E915	Accidents caused by submersion, suffocation, and foreign bodies
E916-E928	Other accidents
E930-E949	Drugs, medicinal and biological substances causing adverse effects in therapeutic use
E950-E958	Suicide and self-inflicted injury
E960-E968	Homicide and injury purposely inflicted by other persons
E970-E976 and E978	Legal interventions

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

+ **PLACE OF OCCURRENCE CODE NEEDED** - CONTINUED (see page 491)

(No longer a coding edit V0711, instead it is an OSHPD edit within California)

+ Inclusive Check (if no match, error) - continued

Relational Table	<i>E849.0</i>	<i>Home</i>
	<i>E849.1</i>	<i>Farm</i>
	<i>E849.2</i>	<i>Mine and quarry</i>
	<i>E849.3</i>	<i>Industrial place and premises</i>
	<i>E849.4</i>	<i>Place for recreation and sport</i>
	<i>E849.5</i>	<i>Street and highway</i>
	<i>E849.6</i>	<i>Public building</i>
	<i>E849.7</i>	<i>Residential institution</i>
	<i>E849.8</i>	<i>Other specified places</i>
	<i>E849.9</i>	<i>Unspecified place (LAST RESORT)</i>

References: ICD-9-CM Codebook, Tabular Section, Coding Notes under Category E849.

ICD-9-CM Coding Handbook with Answers, AHA, Faye Brown, RRA, 1991, page 82.

Title 22, California Code of Regulations, Division 7, Chapter 10 Health Facility Data, Article 8 Discharge Data Reporting Requirements.

Journal of CHIA, Apr 90, pg 15; Apr 96, page 9.

Coding Clinic for ICD-9-CM, AHA, 4th Quarter 1995, Official Guidelines for Coding and Reporting Causes of Injuries, Poisonings, and Adverse Effects of Drugs, Item #11.2, page 34.

California Code of Regulations in Title 22 overrides Coding Clinic's Item #11.2.

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0712 *PLACE OF OCCURRENCE - SOME ARE ILLOGICAL TO USE FOR NEWBORNS BORN IN HOSPITAL*

Guideline: *Place of Occurrence* category is for use to denote the place where the accident or poisoning occurred. It is illogical to report certain *places of occurrence E849.x* for newborns born in the hospital.

V0712 Exclusive check (if match, error) - T172

E Code Table	<i>E849.0</i>	<i>Home</i>
	<i>E849.1</i>	<i>Farm</i>
	<i>E849.2</i>	<i>Mine and Quarry</i>
	<i>E849.3</i>	<i>Industrial Place and Premises</i>
	<i>E849.4</i>	<i>Place for Recreation and Sport</i>
	<i>E849.5</i>	<i>Street and Highway</i>
	<i>E849.6</i>	<i>Public Building</i>
	<i>E849.8</i>	<i>Other Specified Places</i>
	<i>E849.9</i>	<i>Unspecified Place</i>
Relational Table	V30.0x	Single liveborn, born in hospital
	V31.0x	Twin, mate liveborn, born in hospital
	V32.0x	Twin, mate stillborn, born in hospital
	V33.0x	Twin, unspecified, born in hospital
	V34.0x	Other multiple liveborn, mates all liveborn, born in hospital
	V35.0x	Other multiple liveborn, mates all stillborn, born in hospital
	V36.0x	Other multiple liveborn, mates live- and stillborn, born in hospital
	V37.0x	Other multiple liveborn, unspecified, born in hospital
	V39.0x	Liveborn, unspecified, born in hospital

References: None

OFFICE OF STATEWIDE HEALTH PLANNING AND DEVELOPMENT
Illogical E-Code Relationships

V0713 MALTREATMENT E CODE NEEDED

Guideline: When the cause of an injury is stated to be a maltreatment to a child or adult, an E967 code identifying the perpetrator is needed, if this is the first inpatient admission.

V0713 Inclusive check (if no match, error) - E002

Diagnosis Table	995.5x	Child maltreatment/abuse
	995.8x	Adult maltreatment/abuse

Relational Table	E967.x	Perpetrator in child and adult battering
------------------	--------	--

References: Coding Clinic for ICD-9-CM, AHA, 4th Quarter 1995, E coding guidelines, page 39.

ICD-9-CM Codebook, Tabular Section, Coding instructions under subcategories 995.5 and 995.8.

STOP!!!